




# Les vis à bois cruciforme



## Vis agglo. TF FP PZ acier Zn




Diam. de la vis	4,0		4,5		5,0		6,0	
Diam. de la tête	8		9		10		12	
Empreinte	PZ 2		PZ 2		PZ 2		PZ 3	
Longueur	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.
40	24	500	24	500				
45	27	500	27	500				
50	30	500	30	200	30	200	30	200
60	36	200	36	200	36	200	36	200
70	42	200	42	200	42	200	42	200
80			48	200	48	200	48	200
90					54	200	54	100
100					60	200	60	100
120					70	100	70	100
140							70	100
150							70	100
160							70	100
180							70	100

Réf. : 0198 1... ..

Famille : RAA

## Vis agglo. TF FT PZ acier Zn




Diam. de la vis	3,0	3,5	4,0	4,5	5,0	6,0
Diam. de la tête	6	7	8	9	10	12
Empreinte	PZ 1	PZ 2	PZ 2	PZ 2	PZ 2	PZ 3
Longueur/Cond.						
16	1000	1000	1000			
20	1000	1000	1000	1000	1000	
25	1000	1000	1000	1000	1000	
30	1000	1000	1000	500	500	
35	1000	1000	1000	500	500	
40	500	500	500	500	500	200
45		500	500	500	200	
50		500	500	200	200	200
55			200	200	200	
60					200	200

Réf. : 0198 ... ..

Famille : RAB

## Vis agglo. TF FP PZ acier Bi



Diam. de la vis	3,5		4,0		4,5		5,0		6,0	
Diam. de la tête	7		8		9		10		12	
Empreinte	PZ 2		PZ 2		PZ 2		PZ 2		PZ 3	
Longueur	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.
30			18	1000						
35	21	1000	21	1000						
40	24	500	24	500	24	500	24	500	24	200
45			27	500	27	500				
50			30	500	30	200	30	200	30	200
55			33	200			33	200		
60			36	200	36	200	36	200	36	200
70			42	200	42	200	42	200	42	200
80					48	200	48	200	48	200
90							54	200	54	100
100							60	200	60	100
110									70	100
120							70	100	70	100
130									70	100
140									70	100
150									70	100
160									70	100
180									70	100
200									70	100

Réf. : 0186 ... ..


Famille : RAC



# Les vis à bois cruciforme




## Vis agglo. TF FT PZ acier Bi



Réf. : 0186 ...  
Famille : RAD

Diam. de la vis	2,5	3,0	3,5	4,0	4,5	5,0	6,0
Diam. de la tête	5	6	7	8	9	10	12
Empreinte	PZ 1	PZ 1	PZ 2	PZ 2	PZ 2	PZ 2	PZ 3
Longueur/Cond.							
16	1000	1000	1000	1000			
20		1000	1000	1000	1000	1000	
25		1000	1000	1000	1000	1000	
30		1000	1000	1000	500	500	
35		1000	1000	1000	500	500	
40		500	500	500	500	500	200
45			500	500	500	200	
50			500	500	200	200	200
55				200	200		
60						200	200


## Vis agglo. TCB FT PZ acier Zn



Réf. : 0196 ...  
Famille : RAE

Diam. de la vis	3,0	3,5	4,0	4,5	5,0	6,0
Diam. de la tête	6	7	8	9	10	12
Hauteur de la tête	2,1	2,4	2,8	3,0	3,4	4,0
Empreinte	PZ 1	PZ 2	PZ 2	PZ 2	PZ 2	PZ 3
Longueur/Cond.						
10	1000					
12			1000			
15	1000		1000	1000		
16	1000	1000	1000	1000	1000	
17			1000			
20	1000	1000	1000	1000	500	
25		1000	1000	1000	500	
30	1000	1000	1000	500	500	
35		1000	500	500	500	
40		500	500	500	500	200
45			500	500	200	200
50				200	200	200
55					200	
60				200	200	200
70					200	

## Vis agglo. TCB FT PZ inox A2



Réf. : 0181 ...  
Famille : RAF


Diam. de la vis	4,0	5,0
Diam. de la tête	8	10
Hauteur de la tête	2,8	3,4
Empreinte	PZ 2	PZ 2
Longueur/Cond.		
20	200	100
25	200	100
30	200	100
35	200	100
40	200	100
45	200	
50		100
60		100



# Les vis à bois cruciforme




## Vis agglo. TF FP PZ inox A2



Réf. : 0182 ...  
Famille : RAG

Diam. de la vis	3,5		4,0		4,5		5,0		6,0	
Diam. de la tête	7		8		9		10		12	
Empreinte	PZ 2		PZ 2		PZ 2		PZ 3		PZ 3	
Longueur	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.
40	24	200	24	200	24	200				
50			30	100	30	100				
60			36	100	36	100	36	100	36	100
70					42	100	42	100	42	100
80							48	100	48	100
90							54	100	54	100
100							60	100	60	100
120									70	100


## Vis agglo. TF FT PZ inox A2



Réf. : 0182 ...  
Famille : RAH

Diam. de la vis	3,0	3,5	4,0	4,5	5,0	6,0
Diam. de la tête	6	7	8	9	10	12
Empreinte	PZ 1	PZ 2	PZ 2	PZ 2	PZ 2	PZ 3
Longueur/Cond.						
16	200		200			
20	200	200	200			
25	200	200	200	200		
30	200	200	200	200	100	
35			200	200		
40					100	100
50					100	100

## Vis agglo. TF autofraisante percée FP PZ ZN



Réf. : 0174 2...  
Famille : RAI

Diam. de la vis	4,5		5,0	
Diam. de la tête	9		10	
Empreinte	PZ 2		PZ 2	
Longueur	Long. filet	Cond.	Long. filet	Cond.
30	18	500		
35	21	500		
40	24	500	24	500
45	27	500		
50	30	250	30	250
60	36	250	36	250
70	42	200	42	200
80			48	100
90			54	100
100			60	100

Couleurs	RAL N°		Référence pour Diam 12	Référence pour Diam 15
Safran	1017			00590 152 552
Gris argent	7001		00590 122 55	00590 152 595
Gris foncé	7037			00590 152 551
Brun ocre	8001		00590 122 592	00590 152 592
Brun	8007		00590 122 59	00590 152 59
Brun foncé	8016		00590 122 591	00590 152 591
Noir	9005		00590 122 56	00590 152 56
Blanc	9010		00590 122 5	00590 152 5


Réf. : 00590 ...  
Famille : RAJ



# Les vis à bois Torx




## Vis agglo. TF FP TX acier Zn



Diam. de la vis	3,0		3,5		4,0		4,5		5,0		6,0	
Diam. de la tête	6		7		8		9		10		12	
Empreinte	TX 10		TX 15		TX 15		TX 25		TX 25		TX 25	
Longueur	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.
30					18	1000						
35	21	1000	21	1000	21	1000						
40	24	500	24	500	24	500			24	500		
45			27	500			27	500	27	200		
50			30	500	30	500	30	200	30	200	30	200
55							33	200				
60					36	200	36	200	36	200	36	200
70									42	200	42	200
80									48	200	48	200
90									54	200	54	100
100									60	200	60	100
110											70	100
120									60	100	70	100
140											70	100
160											80	100
180											80	100
200											80	100

Réf. : 0155 1...  
Famille : RBA

## Vis agglo. TF FT TX acier Zn



Diam. de la vis	3,0	3,5	4,0	4,5	5,0	6,0
Diam. de la tête	6	7	8	9	10	12
Empreinte	TX 10	TX 15	TX 15	TX 25	TX 25	TX 25
Longueur/Cond.						
12	1000	1000				
16	1000	1000	1000			
20	1000	1000	1000	1000	1000	
25	1000	1000	1000	1000	1000	
30	1000	1000	1000	500	500	
35		1000	1000	500	500	
40		500	500	500	500	200
45			500	500		
50			500	200	200	200
60					200	200

Réf. : 0155 ...  
Famille : RBB

## Vis agglo. TF autofraisante FP TX acier Bi



Diam. de la vis	3,5		4,0		4,5		5,0		6,0	
Diam. de la tête	7		8		9		10		12	
Empreinte	TX 10		TX 20		TX 20		TX 25		TX 30	
Longueur	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.
30	17	1000	17	1000	19	500	19	500		
35	22	1000	20	100	19	500	19	500		
40	25	500	25	500	24	500	22	500		
45	30	500	25	500	24	500				
50	30	500	30	500	29	200	27	200	29	200
55					34	200				
60			35	200	34	200	32	200	34	200
70			35	200	39	200	37	200	39	200
80					44	200	47	200	48	200
90							47	200	48	100
100							55	200	54	100
110							65	100	64	100
120							65	100	64	100
130									64	100
140									64	100
150									64	100
160									64	100
180									64	100
200									64	100
220									64	100
240									64	100


Réf. : 0159 1...  
Famille : RBC



# Les vis à bois Torx




## Vis agglo. TF FP TX acier Bi



Diam. de la vis	3,0		3,5		4,0		4,5		5,0		6,0	
Diam. de la tête	6		7		8		9		10		12	
Empreinte	TX 10		TX 15		TX 15		TX 25		TX 25		TX 25	
Longueur	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.
30					18	1000						
35	21	1000	21	1000	21	1000						
40	24	500	24	500	24	500	24	500	24	500		
45			27	500			27	500	27	200		
50			30	500	30	500	30	200	30	200	30	200
55							33	200				
60					36	200	36	200	36	200	36	200
70					42	200	42	200	42	200	42	200
80							48	200	48	200	48	200
90									54	200	54	100
100									60	200	60	100
110											70	100
120									60	100	70	100
140											70	100
160											80	100
180											80	100
200											80	100

Réf. : 0154 1.. ...  
Famille : RBE


## Vis agglo. TF FT TX acier Bi



Diam. de la vis	3,0	3,5	4,0	4,5	5,0	6,0
Diam. de la tête	6	7	8	9	10	12
Empreinte	TX 10	TX 15	TX 15	TX 25	TX 25	TX 25
Longueur/Cond.						
12	1000					
16	1000	1000	1000			
20	1000	1000	1000	1000	1000	
25	1000	1000	1000	1000	1000	
30	1000	1000	1000	500	500	
35	1000	1000	1000	500	500	
40	500	500	500	500	500	200
45		500	500	500	200	
50		500	500	200	200	200
60					200	200

Réf. : 0154 ...  
Famille : RBF

## Vis agglo. TCB FP TX acier Zn



Diam. de la vis	3,5		4,0		4,5		5,0		6,0	
Diam. de la tête	7		8		9		10		12	
Hauteur de la tête	2,6		2,9		3,2		3,6		4,2	
Empreinte	TX 15		TX 15		TX 25		TX 25		TX 25	
Longueur	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.
40	24	500	24	500	24	500				
45			27	500	27	500				
50			30	500	30	200	30	200		
60			36	200	36	200	36	200	36	200
70			42	200	42	200	42	200	42	200
80					48	200	48	200	48	200
90									54	100
100									60	100


Réf. : 0153 1.. ...  
Famille : RBG



# Les vis à bois Torx




## Vis agglo. TCB FT TX acier Zn



Diam. de la vis	3,0	3,5	4,0	4,5	5,0	6,0
Diam. de la tête	6	7	8	9	10	12
Hauteur de la tête	2,4	2,6	2,9	3,2	3,6	4,2
Empreinte	TX 10	TX 15	TX 15	TX 25	TX 25	TX 25
Longueur/Cond.						
10	1000					
12			1000			
15	1000		1000	1000		
16	1000	1000	1000	1000	1000	
20	1000	1000	1000	1000	500	
25	1000	1000	1000	1000	500	
30		1000	1000	500	500	
35		1000	500	500	500	
40			500	500	500	200
45			500	500	200	200
50			500	200	200	200
60			200	200	200	200
70					200	200
80						200

Réf. : 0153 ...  
Famille : RBH


## Vis agglo. TF TX FP Inox A2



Diam. de la vis	3,5		4,0		4,5		5,0		6,0	
Diam. de la tête	7		8		9		10		12	
Empreinte	TX 10		TX 20		TX 20		TX 25		TX 25	
Longueur	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.	Long. filet	Cond.
40	24	200	24	200	24	200				
50			30	100	30	100	30	100		
60			36	100	36	100	36	100	36	100
70					42	100	42	100	42	100
80							48	100	48	100
90							54	100	54	100
100							60	100	60	100
120									70	100

Réf. : 0183 1... ..  
Famille : RBI

## Vis agglo TF TX FT Inox A2



Diam. de la vis	3,0	3,5	4,0	4,5	5,0	6,0
Diam. de la tête	6	7	8	9	10	12
Empreinte	TX 10	TX 10	TX 20	TX 20	TX 25	TX 25
Longueur/Cond.						
16	200					
20	200	200	200			
25	200	200	200	200		
30	200	200	200	200	100	
35			200	200		
40					100	100
50					100	100


Réf. : 0183 ... ..  
Famille : RBJ



# Les vis à bois Torx



## Vis agglo. TCB FT TX inox A2



Diam. de la vis	4,0	5,0
Diam. de la tête	8	10
Hauteur de la tête	2,8	3,4
Empreinte	TX 20	TX 25
Longueur/Cond.		
20	200	100
25	200	100
30	200	100
35	200	100
40	200	100
45	200	
50		100
60		100

Réf. : 0184 . ..

Famille : RBK



# Les vis à bois




## Tirefonds TH Din 571 Acier Zn



Réf. : 0192 ...  
Famille : RDA

Diam. de la vis	5	6	8	10	12	16
Surplat	8	10	13	17	19	24
Hauteur de la tête	3,5	4	5,5	7	8	10
Longueur	Long. filet					
20	13	100				
25	16	100				
30	19	100	200	100		
35	22	100	200			
40	25	200	100	200	100	
45	29	100	200			
50	32	200	100	200	100	100
55	35	100	200			
60	38	100	200	100	100	
65	42	100	100			
70	45	100	100	100	50	
80	50	100	100	100	50	25
90	55	100	100	100	50	
100	62	100	100	100	50	25
110	68	100	100	50	50	
120	75	100	100	50	50	25
130	82		100	50	50	
140	88		50	50	50	
150	95		50	50	50	25
160	100		50	50	25	
180	112		50	50	25	25
200	125		50	50	25	25
220	125			25	25	25
240	125			25	25	
260	125			25	25	
280	125			25	25	10
300	125			25	25	
320	125				1	
340	125				1	
360	125				1	
380	125				1	
400	125				1	

## Tirefonds TH Din 571 Inox A2



Réf. : 0193 ...  
Famille : RDB

Diam. de la vis	6	8	10	12
Surplat	10	13	17	19
Hauteur de la tête	4	5,5	7	8
Longueur	Long. filet			
40	25	100	100	
50	32	100	100	
60	38	100	100	50
70	45	100	100	50
80	50	100	100	50
90	55		50	50
100	62	100	50	50
120	75	50	50	50
140	88	50	50	
160	95	50	50	
180	112	50	50	
200	125	50	50	





## Vis à bois TF autofr. Acier Bi Rapide



Réf. : 0190 18 ...

Famille : REA

## Rondelle cuvette pour 00190 Acier Bi



Réf. : 00190 8

Famille : REB

Diam. de la vis	8	
Diam. de la tête	15	
Empreinte	TX 40	
Longueur	Long. filet	Cond.
80	50	100
100	60	100
120	80	100
140	80	100
160	80	100
180	80	100
200	80	100
220	100	50
240	100	50
260	100	50
280	100	50
300	100	50
320	100	50
340	100	50
360	100	50
380	100	50
400	100	50

Diam de la vis	Diam. Int.	Diam. Ext.	Epaisseur	Cond
8	10	28	6	50

## Vis à bois TF large 22 mm Acier Bi Rapide



Réf. : 0190 28 ...

Famille : REA

Diam. de la vis	8	
Diam. de la tête	22	
Hauteur de la tête	4,5	
Empreinte	TX 40	
Longueur	Long. filet	Cond.
80	50	50
100	60	50
120	80	50
140	80	50
160	80	50
180	80	50
200	80	50
220	100	25
240	100	25
260	100	25
280	100	25
300	100	25
320	100	25
340	100	25
360	100	25
380	100	25
400	100	25



## Vis à bois TH Dual-Drive acier Z



Réf. : 0191 ... ..

Famille : REC

Diam. de la vis	8		10	
Surplat	12		15	
Hauteur de la tête	4,5		5,0	
Empreinte	TX 30		TX 40	
Longueur	Long. filet	Cond.	Long. filet	Cond.
80	54	100		
100	65	100	65	50
120	84	100	84	50
140	84	100	108	50
160	100	100	108	50
180	100	100	108	50
200	100	100	125	50
220	100	50	125	50
240	100	50	125	50
260	100	50	125	50
280	100	50	125	50
300	100	50	125	50